

# Challenges And Opportunities In Licence Free Wireless Networks For Developing Regions

## Major Area Examination Reading List

David Lloyd Johnson  
Department of Computer Science  
University of California, Santa Barbara  
davidj@cs.ucsb.edu

### 1 Rural wireless networks

- [1] P. Bhagwat, B. Raman, and D. Sanghi, “Turning 802.11 inside-out,” *ACM SIGCOMM Computer Communication Review*, vol. 34, no. 1, pp. 33, January 2004.
- [2] E. Brewer, M. Demmer, B. Du, M. Ho, M. Kam, S. Nedeveschi, J. Pal, R. Patra, S. Surana, and K. Fall, “The case for technology in developing regions,” *Computer*, vol. 38, no. 6, pp. 25–38, May 2005.
- [3] E. Brewer, M. Demmer, M. Ho, R.J. Honicky, J. Pal, M. Plauche, and S. Surana, “The Challenges of Technology Research for Developing Regions,” *IEEE Pervasive Computing*, vol. 5, no. 2, pp. 15–23, April 2006.
- [4] K. Chebrolu and B. Raman, “FRACTEL: A fresh perspective on (rural) mesh networks,” in *ACM SIGCOMM Workshop On Networked Systems For Developing Regions (NSDR)*, 2007.
- [5] B. Du, M. Demmer, and E. Brewer, “Analysis of WWW traffic in Cambodia and Ghana,” in *Proceedings of the 15th international conference on World Wide Web*, 2006.
- [6] J. Ishmael, S. Bury, D. Pezaros, and N. Race, “Deploying Rural Community Wireless Mesh Networks,” *IEEE Internet Computing*, vol. 12, no. 4, pp. 22–29, 2008.
- [7] D.L. Johnson, “Evaluation of a single radio rural mesh network in South Africa,” in *International Conference on Information and Communication Technologies and Development*, December 2007.
- [8] K. W. Matthee, G. Mweemba, A. V. Pais, G. van Stam, and M. Rijken, “Bringing Internet connectivity to rural Zambia using a collaborative approach,” in *International Conference on Information and Communication Technologies and Development*, December 2007.
- [9] S.M. Mishra, J. Hwang, D. Filippini, R. Moazzami, L. Subramanian, and T. Du, “Economic Analysis of Networking Technologies for Rural Developing Regions,” *Lecture Notes in Computer Science*, vol. 3828, pp. 184–194, 2005.
- [10] R. Patra, S. Nedeveschi, S. Surana, A. Sheth, L. Subramanian, and E. Brewer, “WiLDNet: Design and implementation of high performance wifi based long distance networks,” in *NSDI*, 2007.
- [11] A. Pentland, R. Fletcher, and A. Hasson, “DakNet: rethinking connectivity in developing nations,” *Computer*, vol. 37, no. 1, pp. 78–83, January 2004.

- [12] L. Subramanian, S. Surana, R. Patra, S. Nedeveschi, M. Ho, E. Brewer, and A. Sheth, “Rethinking Wireless for the Developing World,” in *Hot Topics in Networks (HotNets)*, 2006.
- [13] S. Surana, R. Patra, S. Nedeveschi, M. Ramos, L. Subramanian, Y. Ben-David, and E. Brewer, “Beyond pilots: Keeping rural wireless networks alive,” in *NSDI*, 2008.

## 2 Coverage optimization

- [1] E. Amaldi, A. Capone, M. Cesana, I. Filippini, and F. Malucelli, “Optimization models and methods for planning wireless mesh networks,” *Computer Networks*, vol. 52, no. 11, pp. 2159–2171, 2008.
- [2] D. Benyamina, A. Hafid, M. Gendreau, and N. Hallam, “Optimization Models For Planning Wireless Mesh Networks: A Comparative Study,” in *IEEE Wireless Communications and Networking Conference*, April 2009.
- [3] C. Bettstetter, “On the minimum node degree and connectivity of a wireless multihop network,” in *3rd ACM international symposium on Mobile ad hoc networking and computing*, 2002.
- [4] G. Lee and A.T. Murray, “Maximal covering with network survivability requirements in wireless mesh networks,” *Computers, Environment and Urban Systems*, vol. 34, no. 1, pp. 49–57, 2010.
- [5] D. Panigrahi, P. Dutta, S. Jaiswal, K. V. M. Naidu, and R. Rastogi, “Minimum Cost Topology Construction for Rural Wireless Mesh Networks,” *IEEE INFOCOM*, April 2008.
- [6] J. Robinson and E.W. Knightly, “A Performance Study of Deployment Factors in Wireless Mesh Networks,” in *IEEE INFOCOM*, 2007.
- [7] S. Sayandeep and Bhaskaran Raman, “Long distance wireless mesh network planning: problem formulation and solution,” in *International World Wide Web Conference*, 2007.

## 3 Ad hoc and Mesh networking

- [1] I.F. Akyildiz, “A survey on wireless mesh networks,” *IEEE Communications Magazine*, vol. 43, no. 9, pp. 23–30, September 2005.
- [2] J. Bicket, D. Aguayo, S. Biswas, and R. Morris, “Architecture and evaluation of an unplanned 802.11 b mesh network,” in *International conference on Mobile computing and networking*, 2005.
- [3] S.R. Das, C.E. Perkins, E.M. Royer, and M.K. Marina, “Performance comparison of two on-demand routing protocols for ad hoc networks,” in *IEEE INFOCOM*, 2000, number c.
- [4] P. Gupta and P.R. Kumar, “The capacity of wireless networks,” *IEEE Transactions on information theory*, vol. 46, no. 2, pp. 388–404, 2000.
- [5] P. Jacquet, P. Muhlethaler, T. Clausen, and A. Laouiti, “Optimized Link State Routing Protocol for ad hoc networks,” in *IEEE Multi Topic Conference (INMIC)*, 2001.
- [6] D.B. Johnson and D.A. Maltz, “Dynamic source routing in ad hoc wireless networks,” *Kluwer International Series in Engineering and Computer Science*, pp. 153–179, 1996.
- [7] D.L. Johnson and Albert Lysko, “Comparison of MANET Routing Protocols Using a Scaled Indoor Wireless Grid,” *Mobile Networks and Applications*, vol. 13, no. 1, pp. 82–96, April 2008.

- [8] D.L. Johnson, N. Ntlatlapa, and C. Aichele, “A simple pragmatic approach to mesh routing using BATMAN,” in *2nd IFIP International Symposium on Wireless Communications and Information Technology in Developing Countries*, 2008.
- [9] C.E. Perkins and E.M. Royer, “Ad-hoc on-demand distance vector routing,” in *2nd IEEE Workshop on Mobile Computing Systems and Applications*, 1999.
- [10] K. Ramachandran, I. Sheriff, and E. Belding, “Routing stability in static wireless mesh networks,” *Lecture Notes in Computer Science*, vol. 4427, pp. 73, 2007.

### 3.1 Metrics

- [1] D.S.J.D. Couto, D. Aguayo, J. Bicket, and R. Morris, “A high-throughput path metric for multi-hop wireless routing,” *Wireless Networks*, vol. 11, no. 4, pp. 419–434, 2005.
- [2] R. Draves, J. Padhye, and B. Zill, “Routing in multi-radio, multi-hop wireless mesh networks,” in *International Conference on Mobile Computing and Networking*, 2004.

### 3.2 Gateway selection

- [1] S. Lakshmanan, R. Sivakumar, and K. Sundaresan, “Multi-gateway association in wireless mesh networks,” *Ad Hoc Networks*, vol. 7, no. 3, pp. 622–637, 2009.
- [2] D. Nandiraju, L. Santhanam, N. Nandiraju, and D.P. Agrawal, “Achieving load balancing in wireless mesh networks through multiple gateways,” in *IEEE International Conference on Mobile Adhoc and Sensor Systems (MASS)*, October 2006.
- [3] S. Tajima, T. Higashino, N. Funabiki, and S. Yoshida, “An Internet gateway access-point selection problem for wireless infrastructure mesh networks,” in *Future Mobile and Ubiquitous Information Technologies (FMUIT)*, 2006.

### 3.3 Multiple radios

- [1] K. N. Ramachandran, E. M. Belding, K. C. Almeroth, and M. M. Buddhikot, “Interference-Aware Channel Assignment in Multi-Radio Wireless Mesh Networks,” in *IEEE INFOCOM*, April 2006.
- [2] I. Sheriff and E.M. Belding-Royer, “Multipath selection in multi-radio mesh networks,” in *IEEE BROAD-NETS*, 2006.

### 3.4 Opportunistic routing

- [1] S. Biswas and R. Morris, “ExOR: opportunistic multi-hop routing for wireless networks,” *ACM SIGCOMM Computer Communication Review*, vol. 35, no. 4, 2005.
- [2] S. Chachulski, M. Jennings, S. Katti, and D. Katabi, “Trading structure for randomness in wireless opportunistic routing,” *Applications, Technologies, Architectures, and Protocols for Computer Communication*, vol. 37, no. 4, 2007.
- [3] C. Gray, N. Santhapuri, and S. Nelakuditi, “On Bit-Rate Selection for Opportunistic Routing,” in *IEEE SECON*, 2008.
- [4] Y Lin, B Li, and B Liang, “CodeOR: Opportunistic routing in wireless mesh networks with segmented network coding,” in *IEEE ICNP*, 2008.

## 4 Wireless network monitoring

- [1] A. Adya, P. Bahl, R. Chandra, and L. Qiu, “Architecture and techniques for diagnosing faults in IEEE 802.11 infrastructure networks,” in *International Conference on Mobile Computing and Networking*, 2004.
- [2] T. Henderson, D. Kotz, and I. Abyzov, “The changing usage of a mature campus-wide wireless network,” *Computer Networks*, vol. 52, no. 14, pp. 2690–2712, 2008.
- [3] R. Jain, D. Lelescu, and M. Balakrishnan, “Model T: an empirical model for user registration patterns in a campus wireless LAN,” in *International Conference on Mobile Computing and Networking*, 2005.
- [4] D. Kotz and K. Essien, “Characterizing usage of a campus-wide wireless network,” in *International Conference on Mobile Computing and Networking*, 2002.
- [5] R. Raghavendra, P. Acharya, E.M. Belding, and K.C. Almeroth, “MeshMon: a multi-tiered framework for wireless mesh network monitoring,” in *MobiHoc S<sup>3</sup> workshop*, 2009.
- [6] R. Raghavendra, P. Acharya, Elizabeth E.M. Belding, and K.C. Almeroth, “Antler: A multi-tiered approach to automated wireless network management,” in *IEEE INFOCOM*, April 2008.
- [7] R. Raghavendra, E.M. Belding, K. Papagiannaki, and K.C. Almeroth, “Understanding handoffs in large IEEE 802.11 wireless networks,” in *ACM SIGCOMM conference on Internet measurement*, 2007.

## 5 New methods for improved spacial and frequency reuse

### 5.1 Smart Antennas

- [1] R.R. Choudhury, X. Yang, R. Ramanathan, and N.H. Vaidya, “Using directional antennas for medium access control in ad hoc networks,” in *International Conference on Mobile Computing and Networking*, 2002.
- [2] M. Chryssomallis, “Smart Antennas,” *IEEE Antennas and Propagation Magazine*, vol. 42, no. 3, pp. 129–136, 2000.
- [3] S.M. Das, H. Pucha, D. Koutsonikolas, Y.C. Hu, and D. Peroulis, “DMesh: incorporating practical directional antennas in multichannel wireless mesh networks,” *IEEE Journal on selected areas in communications*, vol. 24, no. 11, pp. 2028, 2006.
- [4] V. Jain, A. Gupta, and D.P. Agrawal, “On-Demand Medium Access in Multihop Wireless Networks with Multiple Beam Smart Antennas,” *IEEE Transactions on Parallel and Distributed Systems*, vol. 19, no. 4, pp. 489–502, 2008.
- [5] R. Ramanathan, “On the performance of ad hoc networks with beamforming antennas,” in *IEEE MobiHoc*, 2001.
- [6] V. Shankarkumar and N.H. Vaidya, “Medium access control protocols using directional antennas in ad hoc networks,” in *IEEE INFOCOM*, 2000.
- [7] J. Stine, “Exploiting smart antennas in wireless mesh networks using contention access,” *IEEE Wireless Communications*, p. 39, April 2006.
- [8] J. Winters, “Smart antenna techniques and their application to wireless ad hoc networks,” *IEEE Wireless Communications*, p. 78, August 2006.

## 5.2 Cognitive Radios

- [1] I.F. Akyildiz, W.Y. Lee, M.C. Vuran, and S. Mohanty, “NeXt generation/dynamic spectrum access/cognitive radio wireless networks: a survey,” *Computer Networks*, vol. 50, no. 13, pp. 2127–2159, 2006.
- [2] D. Cabric, S.M. Mishra, and R.W. Brodersen, “Implementation issues in spectrum sensing for cognitive radios,” in *Asilomar Conference on Signals, Systems, and Computers*, 2004.
- [3] K. Chowdhury and I. Akyildiz, “Cognitive Wireless Mesh Networks with Dynamic Spectrum Access,” *IEEE Journal on Selected Areas in Communications*, vol. 26, no. 1, pp. 168–181, January 2008.
- [4] S. Haykin, “Cognitive radio: brain-empowered wireless communications,” *IEEE journal on selected areas in communications*, vol. 23, no. 2, pp. 201–220, 2005.
- [5] I.J. Mitola, “Cognitive Radio for Flexible Mobile Multimedia Communications,” *Mobile Networks and Applications*, vol. 6, no. 5, pp. 435–441, September 2001.
- [6] J.M. Peha, “Sharing spectrum through spectrum policy reform and cognitive radio,” *TBP Proc. of the IEEE*, 2009.
- [7] L. Yang, L. Cao, and H. Zheng, “Physical interference driven dynamic spectrum management,” *IEEE DySPAN*, 2008.

### 5.2.1 White spaces

- [1] P. Bahl, R. Chandra, T. Moscibroda, R. Murty, and M. Welsh, “White space networking with wi-fi like connectivity,” *ACM SIGCOMM Computer Communication Review*, vol. 39, no. 4, pp. 27, August 2009.
- [2] C. Cordeiro, K. Challapali, and D. Birru, “IEEE 802.22: an introduction to the first wireless standard based on cognitive radios,” *Journal of communications*, vol. 1, no. 1, pp. 38–47, 2006.
- [3] S. Deb, V. Srinivasan, and R. Maheshwari, “Dynamic spectrum access in DTV whitespaces: design rules, architecture and algorithms,” *International Conference on Mobile Computing and Networking*, 2009.
- [4] B. Lennett, “Rural Broadband and the TV White Space,” *ruralstrategies.org*, vol. 51, June 2008.
- [5] M. Mishra and A. Sahai, “How much white space is there?,” *Department of Electrical Engineering, University of California, Tech. Rep. UCB/EECS-2009-3*, 2009.
- [6] Y. Yuan, P. Bahl, R. Chandra, P.A. Chou, J.I. Ferrell, T. Moscibroda, S. Narlanka, and Y. Wu, “KNOWS: Cognitive Radio Networks Over White Spaces,” in *IEEE DySPAN*, 2007.